



[Zawertailo L, Voci S, Selby P. The Cigarette Dependence Scale and Heaviness of Smoking Index as predictors of smoking cessation after 10 weeks of nicotine replacement therapy and at 6-month follow-up. Addictive Behaviors. 2018;78:223-7.](#)

[Minian N, Noormohamed A, Zawertailo L, Baliunas D, Giesbrecht N, Le Foll B, Rehm J, Samokhvalov A, Selby PL. A method for co-creation of an evidence-based patient workbook to address alcohol use when quitting smoking in primary care: a case study. Research Involvement and Engagement. 2018;4\(1\):4.](#)

[Zawertailo L, Ragusila A, Voci S, Ivanova A, Baliunas D, Selby P. Target quit date timing as a predictor of smoking cessation outcomes. Psychology of Addictive Behaviors. 2017;31\(6\):655.](#)

[Minian N, Baliunas D, Zawertailo L, Noormohamed A, Giesbrecht N, Hendershot CS, Le Foll B, Rehm J, Samokhvalov A, Selby PL. Combining alcohol interventions with tobacco addictions treatment in primary care—the COMBAT study: a pragmatic cluster randomized trial. Implementation Science. 2017;12\(1\):65.](#)

[Zawertailo L, Pavlov D, Ivanova A, Ng G, Baliunas D, Selby P. Concurrent E-cigarette use during tobacco dependence treatment in primary care settings: association with smoking cessation at three and six months. Nicotine & Tobacco Research. 2016;19\(2\):183-9.](#)

[Voci SC, Zawertailo LA, Hussain S, Selby PL. Association between adherence to free nicotine replacement therapy and successful quitting. Addictive Behaviors. 2016;61:25-31.](#)

[Selby P, Hussain S, Voci S, Zawertailo L. Empowering smokers with a web-assisted tobacco intervention to use prescription smoking cessation medications: a feasibility trial. Implementation Science. 2015;10\(1\):139.](#)

[Zawertailo LA, Baliunas D, Ivanova A, Selby PL. Individualized treatment for tobacco dependence in addictions treatment settings: the role of current depressive symptoms on outcomes at 3 and 6 months. Nicotine & Tobacco Research. 2015;17\(8\):937-45.](#)

[Zawertailo L, Voci S, Selby P. Depression status as a predictor of quit success in a real-world effectiveness study of nicotine replacement therapy. Psychiatry Research. 2015;226\(1\):120-7.](#)

[Zawertailo L, Dragonetti R, Bondy SJ, Victor JC, Selby P. Reach and effectiveness of mailed nicotine replacement therapy for smokers: 6-month outcomes in a naturalistic exploratory study. Tobacco Control. 2013;22\(3\):e4.](#)

[Costello MJ, Sproule B, Victor JC, Leatherdale ST, Zawertailo L, Selby P. Effectiveness of pharmacist counseling combined with nicotine replacement therapy: a pragmatic randomized trial with 6,987 smokers. Cancer Causes & Control. 2011;22\(2\):167-80.](#)